

Table 3

Intersections in Area 134

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18786	4882	12358	1129	-48	319	38	26.70	29.80	3.10	5.1	2.0
						including	27.70	28.70	1.00	5.7	0.7
						and	29.40	29.80	0.40	14.9	0.3
UDD18793	4469	12329	1122	39	16	17	5.30	7.00	1.70	6.5	1.2
UDD18794	4466	12327	1123	44	210	11	6.5	6.8	0.30	3.0	1.97
UDD18795	4467	12325	1122	44	210	14	10.40	11.20	0.80	12.0	0.6
UDD18855	4745	12328	1063	87	123	88	24.70	26.70	2.00	10.9	1.4
						including	25.90	26.70	0.80	23.4	0.6
							30.60	31.20	0.60	14.6	0.4
							44.00	44.70	0.70	6.2	0.5
							67.90	68.90	1.00	8.4	0.7
							75.20	75.70	0.50	21.1	0.4
UDD18856	4765	12312	1068	80	289	78	26.20	26.50	0.30	7.6	0.2
							27.70	28.00	0.30	33.2	0.2
							36.95	37.35	0.40	5.1	0.3
							48.35	48.85	0.50	27.2	0.4
							65.45	69.75	4.30	5.2	3.0
						including	65.45	66.45	1.00	13.5	0.7
UDD18857	4763	12296	1070	83	26	104	66.80	67.55	0.75	43.6	0.5
UDD18858	4763	12295	1070	75	140	64	28.25	28.90	0.65	2.1	0.4
							35.60	36.35	0.75	3.3	0.5
UDD18859	4755	12289	1071	78	179	51	28.15	28.45	0.30	26.4	0.2
							34.40	34.90	0.50	17.5	0.4
UDD18860	4735	12290	1075	74	187	51	26.10	26.70	0.60	7.9	0.4
							32.00	33.00	1.00	5.2	0.7
UDD18861	4726	12293	1076	77	209	70	20.45	20.85	0.40	10.7	0.3
							27.65	28.25	0.60	10.6	0.4
							41.75	42.25	0.50	5.3	0.4
UDD18862	4715	12303	1078	70	224	72	17.75	18.45	0.70	3.4	0.5
							34.70	35.70	1.00	3.2	0.7
UDD18863	4715	12304	1078	88	237	67	No significant intersections				
UDD18864	4717	12306	1077	76	19	61	46.35	49.55	3.20	9.2	2.1
						including	49.10	49.55	0.45	43.2	0.3
UDD19031	4412	12351	1125	2	95	57	39.45	39.75	0.30	20.5	0.2
UDD19032	4412	12351	1126	12	95	55	22.00	26.00	4.00	1.6	2.6

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD19033	4412	12351	1125	5	84	55	28.90	29.30	0.40	8.4	0.3
							48.30	48.60	0.30	14.7	0.2
UDD19034	4412	12351	1126	14	71	55	No significant intersections				
UDD19035	4412	12351	1126	23	71	71	No significant intersections				
UDD19036	4413	12350	1127	28	84	65	No significant intersections				
UDD19037	4412	12351	1126	16	84	54	24.30	25.30	1.00	13.8	0.7
							48.40	48.80	0.40	12.0	0.3

**Intersections in Baltic
Exploration Holes Indicated with an asterix***

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD19110*	4306	11491	1123	5	6	216	154.80	156.10	1.30	4.0	0.8
							179.90	180.65	0.75	6.0	0.5
UDD19111*	4306	11491	1123	-8	6	195	8.25	12.00	3.75	35.3	2.6
						Including	9.25	10.60	1.35	53.1	0.9
						and	11.50	12.00	0.50	82.0	0.3
							71.15	73.30	2.15	8.9	1.5
							77.20	77.75	0.55	5.1	0.4
							175.75	176.05	0.30	27.1	0.2
							186.50	187.50	1.00	8.0	0.7
UDD19112	4329	11472	1125	18	53	99	31.00	32.00	1.00	5.4	0.7
							34.00	35.00	1.00	6.8	0.7
							74.10	74.40	0.30	33.9	0.2
UDD19113	4328	11473	1126	42	53	131	34.60	35.60	1.00	3.9	0.7
UDD19114*	4329	11472	1125	30	39	190	21.20	22.50	1.30	14.9	0.9
							31.75	32.75	1.00	7.4	0.7
							169.35	170.20	0.85	24.0	0.6
UDD19115*	4323	11480	1124	-2	22	206	196.42	196.90	0.48	6.0	0.3
UDD19117*	4323	11480	1125	27	23	180	136.80	139.10	2.30	11.5	1.6
						Including	136.80	137.35	0.55	25.7	0.4
						and	138.65	139.10	0.45	19.5	0.3
							158.20	158.55	0.35	17.2	0.2
UDD19118	4308	11490	1123	-18	18	144	4.50	13.15	8.65	18.7	5.6
						including	6.60	7.00	0.40	24.1	0.3
						and	7.60	9.80	2.20	48.9	1.5
UDD19119*	4309	11490	1123	-4	18	190	6.55	8.80	2.25	27.1	1.6
						including	7.80	8.40	0.60	67.5	0.4
							65.80	66.25	0.45	10.5	0.3
							164.60	165.00	0.40	8.5	0.3
UDD19120*	4309	11490	1124	10	18	185	8.40	10.60	2.20	64.0	1.5
						including	8.40	9.60	1.20	110.3	0.8
							156.20	156.70	0.50	9.9	0.4
UDD19121	4329	11472	1124	4	31	180	7.25	7.70	0.45	53.5	0.3
UDD19122*	4329	11472	1125	17	31	201	8.35	8.80	0.45	18.0	0.3
							24.20	28.80	4.60	19.7	3.2
							163.60	164.20	0.60	15.0	0.4

Intersections in Caribbean

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18884	4778	11574	1228	47	178	64	11.05	11.70	0.65	4.6	0.4
UDD18885	4779	11574	1228	-54	153	63	9.25	10.10	0.85	8.4	0.6
UDD18886	4778	11574	1228	-40	162	75	50.95	51.45	0.50	6.6	0.4
UDD18887	4778	11574	1228	-29	164	79	40.10	41.10	1.00	4.0	0.7
UDD18888	4781	11573	1229	-19	162	79	No significant intersections				
UDD18889	4781	11573	1228	-40	143	78	43.00	44.60	1.60	3.5	1.0
UDD18890	4781	11573	1228	-30	151	77	38.70	39.60	0.90	5.2	0.6
UDD18891	4785	11573	1229	-11	144	94	No significant intersections				
UDD18892	4785	11573	1228	-24	130	93	9.70	10.10	0.40	16.3	0.3
							26.90	27.40	0.50	7.0	0.4
							43.65	47.10	3.45	5.6	2.2
						including	46.00	47.10	1.10	13.0	0.8
UDD18916	4660	11871	1123	-64	210	39	No significant intersections				
UDD18917	4661	11864	1125	-18	216	25	No significant intersections				
UDD18918	4663	11865	1124	-71	167	41	No significant intersections				
UDD18919	4665	11866	1124	-34	72	35	No significant intersections				
UDD18920	4663	11857	1127	-45	225	40	No significant intersections				
UDD18921	4663	11858	1126	-8	219	30	No significant intersections				
UDD18922	4667	11853	1126	-60	160	14	No significant intersections				
UDD18923	4670	11854	1127	-34	101	16	No significant intersections				
UDD18924	4667	11847	1128	3	212	30	No significant intersections				
UDD19055	4632	11877	1107	17	282	51	13.20	16.05	2.85	42.4	1.9
						including	13.20	14.50	1.30	71.9	0.9
						and	14.80	16.05	1.25	21.7	0.9
UDD19056	4632	11874	1107	16	253	45	0.00	1.00	1.00	14.1	0.7
							22.40	23.05	0.65	23.7	0.5
UDD19057	4632	11874	1106	0	242	66	32.80	36.90	4.10	17.3	2.7
						including	32.80	34.80	2.00	19.1	1.4
						and	35.30	36.05	0.75	37.6	0.5
							48.50	49.40	0.90	7.0	0.6
UDD19058	4632	11875	1107	6	262	61	20.90	21.70	0.80	5.2	0.6
							48.00	51.50	3.50	12.4	2.3
						including	48.00	49.70	1.70	21.5	1.2
UDD19059	4632	11876	1107	12	273	58	5.85	6.35	0.50	6.5	0.4
							15.45	16.60	1.15	56.5	0.8
							39.60	40.30	0.70	11.2	0.5
UDD19060	4632	11876	1107	-1	270	75	17.50	18.70	1.20	11.8	0.8
							48.00	48.40	0.40	5.9	0.3
							67.20	67.95	0.75	8.1	0.5

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD19061	4632	11876	1107	4	278	67	16.20	16.75	0.55	6.5	0.4
							17.10	17.45	0.35	8.8	0.2
							37.35	37.95	0.60	6.4	0.4
							53.45	54.85	1.40	5.9	1.0
UDD19062	4632	11876	1107	-4	289	73	14.85	15.40	0.55	11.4	0.4
							24.70	25.75	1.05	25.9	0.7
							60.55	62.70	2.15	11.3	1.5
UDD19063	4632	11875	1107	27	262	41	20.30	20.60	0.30	15.2	0.2
UDD19064	4632	11875	1106	-5	262	77	61.40	61.90	0.50	30.3	0.4
UDD19065	4667	11753	1112	26	357	73	No significant intersections				
UDD19066	4669	11753	1112	27	14	64	No significant intersections				
UDD19067	4668	11753	1113	45	18	47	No significant intersections				
UDD19068	4668	11753	1113	45	34	53	No significant intersections				
UDD19069	4669	11752	1113	40	44	76	No significant intersections				
UDD19070	4669	11752	1113	39	50	76	57.05	62.10	5.05	6.6	3.5
						including	60.10	62.10	2.00	10.8	1.4
UDD19071	4668	11752	1114	48	50	71	44.10	44.60	0.50	5.2	0.4
							45.15	46.15	1.00	5.1	0.7
							51.55	53.60	2.05	14.6	1.4
UDD19174	4430	11501	1200	11	320	15	No significant intersections				
UDD19175	4421	11495	1200	14	325	25	No significant intersections				
UDD19176	4435	11503	1203	83	295	10	No significant intersections				
UDD19177	4441	11497	1202	75	22	10	1.30	2.00	0.70	35.1	0.5
UDD19178	4421	11489	1200	20	169	31	21.00	22.00	1.00	6.2	0.7
UDD19179	4434	11473	1201	25	320	30	No significant intersections				
UDD19180	4436	11474	1202	43	322	27	0.00	1.55	1.55	24.3	1.1
UDD19181	4441	11477	1201	26	323	29	20.00	21.75	1.75	18.5	1.2
UDD19182	4443	11476	1203	81	238	16	No significant intersections				
UDD19183	4437	11474	1203	53	323	22	0.00	0.75	0.75	4.5	0.5
UDD19184	4433	11468	1203	52	168	20	No significant intersections				
UDD19185	4431	11471	1203	51	302	15	0.00	2.90	2.90	23.4	2.0
						including	0.00	2.00	2.00	33.1	1.3

Intersections in Caspian

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18852	4542	11071	1247	67	111	97	44.90	45.80	0.90	8.5	0.6
UDD18853	4541	11070	1247	59	113	106	86.65	87.20	0.55	7.8	0.4
UDD18853	4541	11070	1247	59	113	106	92.75	93.25	0.50	11.3	0.4
UDD18854	4541	11071	1247	59	107	96	9.70	10.45	0.75	8.5	0.5
UDD18865	4282	10938	1343	80	206	47	No significant intersections				
UDD18867	4276	10942	1343	88	199	60	3.85	4.80	0.95	5.1	0.7
							55.65	56.65	1.00	5.5	0.7
UDD18869	4287	10937	1341	90	27	45	11.40	12.10	0.70	16.9	0.5
							28.90	29.90	1.00	5.1	0.7
UDD18926	4615	10974	1312	-8	81	67	54.40	55.40	1.00	10.8	0.7
UDD18927	4666	10994	1315	19	194	56	22.20	22.50	0.30	10.0	0.2
							31.00	31.40	0.40	6.8	0.3
UDD18928	4615	10974	1313	0	99	82	71.00	71.60	0.60	24.8	0.4
UDD18929	4666	10994	1315	22	177	47	No significant intersections				
UDD18930	4615	10974	1313	7	97	72	No significant intersections				
UDD18931	4615	10974	1312	-8	97	99	No significant intersections				
UDD18946	4493	11188	1245	-38	234	74	30.35	31.50	1.15	7.8	0.8
							36.30	36.75	0.45	8.8	0.3
							43.55	44.60	1.05	50.1	0.7
							47.50	48.00	0.50	7.1	0.4
UDD18947	4502	11182	1245	-39	193	66	0.55	1.55	1.00	9.7	0.7
							19.05	19.60	0.55	7.1	0.4
							38.90	40.75	1.85	6.2	1.3
							45.90	46.35	0.45	11.9	0.3
UDD18948	4457	11163	1249	-44	259	44	0.65	1.00	0.35	41.3	0.2
							18.65	19.70	1.05	5.7	0.7
UDD18949	4457	11163	1249	-44	243	38	0.00	0.50	0.50	31.9	0.4
UDD18950	4458	11153	1249	-55	237	30	20.60	22.90	2.30	5.7	1.5
UDD18951	4460	11153	1248	-81	185	36	23.75	24.50	0.75	5.3	0.5
UDD18952	4444	11142	1246	-54	202	22	9.25	9.70	0.45	25.1	0.3
UDD18953	4444	11142	1247	-21	216	27	11.65	12.05	0.40	9.8	0.3
UDD18954	4451	11138	1248	-30	208	24	10.20	10.55	0.35	8.9	0.2
UDD18955	4451	11138	1247	-74	207	27	10.35	10.65	0.30	16.1	0.2
UDD18956	4460	11131	1249	-58	215	31	10.70	12.20	1.50	9.2	1.1
UDD18957	4463	11133	1249	-83	188	43	14.50	14.80	0.30	6.1	0.2
UDD18959	4467	11126	1250	-76	102	33	15.25	15.95	0.70	3.5	0.5
UDD18960	4467	11123	1251	-59	137	30	14.25	14.85	0.60	8.8	0.4

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18961	4465	11123	1251	-82	182	39	6.85	7.40	0.55	6.9	0.4
							12.15	12.80	0.65	5.3	0.5
UDD19078	4470	11213	1244	-73	33	20	No significant intersections				
UDD19079	4480	11208	1245	-20	31	35	12.60	16.25	3.65	21.7	2.4
						including	13.80	14.70	0.90	57.9	0.6
						and	15.80	16.25	0.45	46.2	0.3
							28.70	29.40	0.70	44.1	0.5
UDD19080	4479	11207	1244	-78	30	20	16.10	16.60	0.50	3.7	0.3
UDD19081	4485	11205	1244	-53	34	21	No significant intersections				
UDD19082	4497	11190	1245	-33	2	27	No significant intersections				
UDD19083	4497	11191	1246	-16	14	33	29.85	30.85	1.00	3.8	0.7
UDD19084	4504	11186	1245	-32	2	28	18.30	19.10	0.80	7.8	0.6
UDD19085	4505	11185	1245	-19	26	37	26.40	27.55	1.15	20.9	0.8
UDD19094	4216	10846	1347	42	261	59	19.90	21.50	1.60	6.9	1.1
							25.80	26.15	0.35	7.2	0.2
							51.55	52.55	1.00	11.8	0.7
UDD19095	4216	10847	1347	37	250	76	37.45	38.40	0.95	8.4	0.7
							40.70	42.00	1.30	9.1	0.9
							44.70	45.15	0.45	33.1	0.3
UDD19096	4216	10847	1347	42	245	64	36.70	37.50	0.80	5.7	0.6
UDD19097	4266	10875	1365	56	146	51	No significant intersections				
UDD19098	4262	10872	1365	68	87	43	35.40	42.70	7.30	13.9	4.7
						including	35.40	37.40	2.00	38.6	1.4
						and	41.50	42.70	1.20	14.8	0.8
UDD19099	4262	10873	1365	62	30	51	38.80	39.50	0.70	10.3	0.5
UDD19100	4256	10864	1366	74	75	54	4.90	5.60	0.70	5.8	0.5
							47.50	48.10	0.60	13.6	0.4
UDD19101	4255	10865	1366	77	13	58	22.00	22.80	0.80	5.7	0.6
UDD19102	4239	10835	1344	36	156	92	79.70	81.60	1.90	9.5	1.3
UDD19103	4239	10835	1344	40	133	63	No significant intersections				
UDD19106	4266	10836	1366	46	167	25	No significant intersections				
UDD19107	4266	10837	1366	67	184	20	No significant intersections				
UDD19108	4246	10841	1343	44	133	61	52.70	53.40	0.70	11.8	0.5

Intersections in Cortez

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18805	4790	12316	1130	31	156	34	8.00	11.40	3.40	11.0	2.4
						including	9.00	11.40	2.40	13.5	1.7
							18.00	19.00	1.00	8.9	0.7
UDD18806	4791	12316	1127	-36	156	68	8.70	9.15	0.45	10.7	0.3
							18.20	20.80	2.60	12.7	1.8
UDD18807	4820	12331	1132	80	162	41	13.50	14.10	0.60	6.9	0.4
UDD18809	4821	12330	1128	-15	162	170	0.00	2.00	2.00	17.4	1.4
							11.90	12.80	0.90	12.2	0.6
							23.30	24.30	1.00	7.0	0.7
UDD18810	4849	12322	1128	-18	162	151	116.00	116.50	0.50	7.8	0.4
UDD18811	4879	12343	1129	-88	39	106	15.40	15.95	0.55	120.0	0.4
							54.15	55.15	1.00	5.5	0.7
UDD18812	4888	12337	1134	88	38	43	16.45	17.30	0.85	5.9	0.6
UDD18813	4890	12339	1130	-41	39	126	14.05	15.05	1.00	7.1	0.7
							17.10	17.60	0.50	5.4	0.4
UDD18814	4890	12337	1129	-69	51	102	7.10	7.85	0.75	7.4	0.5
UDD18815	4891	12301	1134	70	132	97	60.20	63.10	2.90	3.5	1.9
UDD18816	4891	12301	1134	65	117	95	No significant intersections				
UDD18817	4891	12301	1134	62	146	95	36.65	37.65	1.00	28.5	0.7
							39.65	42.45	2.80	12.3	2.0
						including	39.65	41.45	1.80	16.7	1.3
							74.00	74.50	0.50	6.8	0.4
							75.85	78.85	3.00	11.1	2.1
						including	76.85	78.85	2.00	15.1	1.4
UDD18818	4890	12300	1134	54	154	97	1.10	2.00	0.90	5.1	0.6
							31.80	32.70	0.90	29.0	0.6
							35.70	36.25	0.55	9.9	0.4
							45.15	48.45	3.30	61.0	2.3
UDD18819	4891	12301	1133	51	123	100	50.95	51.50	0.55	17.0	0.4
UDD18820	4891	12300	1133	49	141	100	35.65	36.50	0.85	28.0	0.6
							71.90	72.90	1.00	7.8	0.7
UDD18821	4891	12300	1132	40	166	97	82.55	83.00	0.45	7.2	0.3
							88.00	89.00	1.00	121.0	0.7
							91.50	92.25	0.75	16.2	0.5

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18822	4891	12300	1132	26	147	81	44.90	45.90	1.00	12.6	0.7
							49.40	59.00	9.60	8.2	6.7
							55.40	59.00	3.60	14.5	2.5
							64.00	65.00	1.00	5.2	0.7
							66.00	67.00	1.00	9.3	0.7
							70.80	71.30	0.50	10.0	0.4
							73.00	75.00	2.00	6.7	1.4
UDD18823	4890	12300	1132	24	164	87	2.70	3.30	0.60	6.1	0.4
							25.10	27.15	2.05	9.7	1.4
							51.30	52.30	1.00	5.8	0.7
UDD18824	4930	12310	1135	81	39	97	7.00	7.31	0.31	23.3	0.2
							14.00	14.60	0.60	6.3	0.4
UDD18825	4950	12295	1134	38	45	148	30.75	31.10	0.35	18.7	0.2
							38.10	43.80	5.70	14.1	3.7
						including	39.20	39.80	0.60	55.5	0.4
UDD18826	4951	12293	1135	64	89	104	31.40	31.85	0.45	5.3	0.3
							37.20	37.55	0.35	5.3	0.2
							77.90	78.65	0.75	36.2	0.5
UDD18827	4950	12293	1135	54	87	133	27.70	30.80	3.10	38.7	2.2
UDD18828	4950	12294	1134	39	70	216	60.45	61.00	0.55	6.0	0.4
UDD18829	4953	12291	1135	59	111	116	20.50	21.15	0.65	12.4	0.5
							21.65	22.40	0.75	704.0	0.5
							29.10	29.70	0.60	5.4	0.4
UDD18830	4951	12295	1131	-24	45	150	No significant intersections				
UDD19156	4890	12300	1133	59	180	88	2.10	2.65	0.55	4.3	0.4
UDD19157	4889	12303	1134	90	90	25	13.05	13.40	0.35	5.9	0.2
UDD19158	4891	12304	1134	61	61	40	No significant intersections				
UDD19159	4877	12309	1133	60	220	49	No significant intersections				
UDD19160	4871	12314	1133	54	278	44	No significant intersections				
UDD19169	4882	12305	1133	48	220	34	32.20	32.75	0.55	11.3	0.4
UDD19170	4883	12305	1133	71	220	29	6.00	6.50	0.50	21.1	0.4
UDD19171	4876	12308	1131	27	220	45	No significant intersections				
UDD19172	4873	12315	1134	70	345	40	15.10	15.70	0.60	5.9	0.4
UDD19173	4888	12302	1133	60	216	30	0.00	1.00	1.00	5.2	0.7
							19.10	19.60	0.50	5.2	0.4

Intersections in Indian

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18712	3996	11138	1213	56	23	62	2.30	2.70	0.40	6.9	0.3
UDD18713	3997	11135	1213	62	54	67	No significant intersections				
UDD18714	3996	11139	1211	39	5	80	No significant intersections				
UDD18715	4003	11145	1209	24	16	75	No significant intersections				
UDD18716	4004	11145	1211	45	17	76	2.10	2.80	0.70	4.4	0.5
UDD18717	4011	11146	1210	45	37	74	2.00	3.00	1.00	21.9	0.7
UDD18762	4256	11267	1241	-17	56	159	89.65	90.15	0.50	6.3	0.4
							143.55	144.50	0.95	16.4	0.7
UDD18768	4256	11267	1241	-18	61	145	107.40	108.40	1.00	5.5	0.7
UDD18770	4256	11267	1241	-20	50	151	125.40	126.00	0.60	7.6	0.4
							133.00	133.30	0.30	11.7	0.2
UDD18839	4416	11276	1252	-34	20	113	25.70	28.20	2.50	3.8	1.8
						including	26.70	27.00	0.30	8.7	0.2
							41.60	42.60	1.00	5.8	0.7
UDD18840	4413	11278	1252	-31	354	90	No significant intersections				
UDD18841	4412	11278	1252	-57	344	64	42.60	43.00	0.40	9.4	0.3
UDD18842	4447	11228	1250	-36	270	124	95.70	96.70	1.00	8.7	0.7
							97.70	98.70	1.00	7.8	0.7
							121.30	121.60	0.30	16.7	0.2
UDD18843	4447	11228	1250	-42	270	106	55.60	56.10	0.50	21.8	0.4
							78.40	79.00	0.60	14.2	0.4
							100.70	101.30	0.60	6.9	0.4
UDD18844	4447	11228	1250	-50	271	73	No significant intersections				
UDD18845	4448	11218	1250	-32	269	130	97.50	98.00	0.50	11.7	0.4
							104.90	105.50	0.60	11.3	0.4
UDD18846	4449	11218	1250	-39	270	120	77.30	78.30	1.00	18.8	0.7
UDD18847	4448	11218	1250	-46	269	99	41.50	42.50	1.00	9.3	0.7
							51.20	51.90	0.70	7.3	0.5
							55.00	56.20	1.20	9.9	0.8
UDD18848	4449	11217	1250	-78	272	47	39.00	39.60	0.60	6.1	0.4
UDD18849	4450	11209	1250	-35	266	132	37.20	38.70	1.50	15.9	1.1
							45.65	46.65	1.00	10.4	0.7
							52.80	53.10	0.30	6.9	0.2
							82.65	83.30	0.65	8.7	0.5
							86.75	87.15	0.40	6.9	0.3
UDD18850	4450	11209	1250	-42	264	122	28.70	29.70	1.00	8.7	0.7
							75.80	76.15	0.35	21.2	0.2
							82.50	82.80	0.30	12.4	0.2

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18851	4450	11209	1250	-50	263	58	No significant intersections				
UDD18870	3963	11102	1197	-34	294	106	99.50	100.10	0.60	7.0	0.4
UDD18871	3963	11102	1197	-28	297	124	113.90	114.40	0.50	6.1	0.4
							115.45	116.00	0.55	5.1	0.4
							119.20	119.70	0.50	33.9	0.4
UDD18872	3963	11102	1197	-40	303	108	106.30	107.30	1.00	9.7	0.7
UDD18873	3963	11102	1197	-31	304	129	No significant intersections				
UDD18874	3964	11103	1197	-38	308	117	No significant intersections				
UDD18875	3964	11103	1197	-47	316	109	34.75	35.30	0.55	12.8	0.4
							104.60	105.10	0.50	6.0	0.4
UDD18876	3964	11103	1197	-37	314	135	No significant intersections				
UDD18878	3964	11103	1197	-42	327	141	41.55	42.35	0.80	5.9	0.6
UDD18879	3964	11103	1197	-38	328	158	15.70	16.40	0.70	5.1	0.5
							18.85	19.35	0.50	12.8	0.4
							38.50	39.00	0.50	14.4	0.4
							53.35	54.60	1.25	14.1	0.9
UDD18880	3965	11104	1197	-40	333	178	56.90	59.20	2.30	9.4	1.6
						including	56.90	57.20	0.30	20.6	0.2
						and	58.20	59.20	1.00	11.6	0.7
UDD18881	3964	11104	1197	-45	333	150	139.15	140.10	0.95	7.5	0.7
UDD18882	3965	11103	1197	-42	331	150	21.51	22.51	1.00	5.1	0.7
							113.90	114.90	1.00	5.0	0.7
UDD18883	3965	11103	1197	-50	335	129	43.55	44.55	1.00	6.4	0.7
UDD18989	4311	11480	1123	-12	182	39	5.15	6.00	0.85	5.1	0.6
UDD18990	4318	11476	1122	-51	178	27	2.60	3.60	1.00	5.8	0.7
							14.10	16.65	2.55	6.1	1.8
						including	14.10	14.65	0.55	17.3	0.4
UDD18991	4318	11477	1122	-83	167	31	4.90	5.90	1.00	8.3	0.7
							10.60	11.25	0.65	33.0	0.5
UDD18992	4310	11481	1122	-78	182	32	7.95	10.80	2.85	69.3	2.0
							15.05	15.45	0.40	64.6	0.3
UDD18993	4327	11466	1123	-60	186	30	14.50	16.60	2.10	8.2	1.5
UDD18994	4318	11481	1122	-82	5	37	5.50	6.20	0.70	5.7	0.5
UDD18995	4328	11471	1122	-87	198	28	11.70	12.90	1.20	25.6	0.8
							17.60	18.20	0.60	127.0	0.4
UDD18996	4325	11476	1122	-75	35	37	8.25	8.80	0.55	39.0	0.4
UDD18998	4289	11492	1121	-56	183	24	14.60	15.40	0.80	13.4	0.6
UDD18999	4276	11493	1121	-52	186	20	18.40	19.30	0.90	9.4	0.6
UDD19000	4281	11493	1121	-58	182	26	13.10	13.45	0.35	12.4	0.2
							13.95	14.50	0.55	12.6	0.4

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD19001	4338	11462	1123	-80	161	52	10.40	11.40	1.00	23.8	0.7
							15.80	23.30	7.50	33.3	5.3
						including	15.80	16.80	1.00	50.5	0.7
						and	18.75	23.30	4.55	42.6	3.2
UDD19002	4340	11462	1123	-61	3	35	3.30	4.30	1.00	19.2	0.7

Intersections in Pacific
Exploration Holes Indicated by an asterix*

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD18983*	4676	12852	1192	-71	240	179	79.25	79.75	0.50	4.2	0.3
							106.20	107.20	1.00	4.4	0.7
							123.50	124.00	0.50	4.8	0.3
							131.80	132.60	0.80	4.9	0.5
UDD18984*	4676	12852	1192	-74	233	187	78.45	78.80	0.35	7.4	0.2
							79.20	80.70	1.50	13.1	1.1
							142.40	143.25	0.85	16.1	0.6
							164.10	164.80	0.70	75.2	0.5
UDD18985*	4676	12852	1192	-71	231	180	166.75	168.20	1.45	41.5	1.0
UDD19007	4698	12814	1191	-74	184	132	85.30	86.90	1.60	6.0	1.1
							94.00	94.85	0.85	7.2	0.6
							116.60	117.10	0.50	6.2	0.4
							118.60	119.00	0.40	11.5	0.3
UDD19008	4701	12811	1191	-86	219	128	88.00	88.70	0.70	7.5	0.5
							100.90	101.90	1.00	6.6	0.7
							105.55	106.55	1.00	5.2	0.7
UDD19009	4701	12812	1191	-79	146	125	78.00	78.80	0.80	9.1	0.6
							88.85	89.60	0.75	5.3	0.5
							90.00	90.95	0.95	8.8	0.7
							104.40	108.30	3.90	6.7	2.7
UDD19010	4699	12815	1191	-83	47	120	94.70	95.70	1.00	5.1	0.7
UDD19011*	4732	12823	1187	-89	119	107	71.00	71.50	0.50	15.2	0.4
							87.90	88.40	0.50	6.7	0.4
							90.20	91.00	0.80	5.6	0.6
UDD19012*	4735	12831	1186	-90	347	106	70.00	70.60	0.60	61.7	0.4
							75.10	75.70	0.60	7.9	0.4
							78.90	83.50	4.60	5.2	3.2
UDD19013*	4742	12839	1185	-87	166	108	74.20	75.20	1.00	6.9	0.7
							87.70	88.25	0.55	7.7	0.4
UDD19014*	4764	12837	1182	-89	342	90	64.40	66.40	2.00	10.6	1.4
UDD19015*	4774	12836	1180	-88	195	85	59.00	60.00	1.00	5.4	0.7
							62.05	62.70	0.65	5.8	0.5
							63.80	64.50	0.70	7.0	0.5
UDD19016	4785	12838	1179	-80	9	79	58.60	58.95	0.35	7.6	0.2
							75.45	76.00	0.55	5.2	0.4
UDD19017	4818	12821	1147	-43	178	54	25.20	26.20	1.00	10.2	0.7
UDD19018	4818	12822	1146	-61	177	41	17.60	18.00	0.40	8.6	0.3
							35.20	35.90	0.70	6.9	0.5

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)	To (m)	Intersection (m)	Au (gpt)	Est True Thickness (m)
UDD19019	4818	12821	1147	-47	155	44	No significant intersections				
UDD19021	4845	12808	1143	-82	86	27	20.20	20.75	0.55	40.8	0.4
UDD19022	4844	12796	1142	-76	259	36	16.70	17.10	0.40	6.7	0.3
UDD19023	4848	12795	1142	-64	88	32	No significant intersections				
UDD19024	4846	12809	1144	-22	86	84	45.80	48.70	2.90	5.8	1.9
UDD19025	4846	12785	1140	-78	255	33	19.70	20.45	0.75	4.7	0.5
UDD19026	4851	12779	1139	-78	81	32	No significant intersections				
UDD19027	4848	12790	1141	-87	89	33	18.00	18.40	0.40	10.1	0.3
UDD19028	4853	12771	1138	-40	73	40	21.85	22.20	0.35	4.5	0.2
UDD19029	4853	12771	1138	-62	81	34	No significant intersections				
UDD19030	4698	12814	1191	-82	256	129	93.85	94.50	0.65	5.5	0.5
UDD19038	4671	12873	1193	-53	84	122	55.65	56.65	1.00	5.3	0.7
							58.85	60.65	1.80	14.2	1.3
							87.50	94.10	6.60	8.5	4.3
						including	87.50	90.00	2.50	14.0	1.8
						and	93.10	94.10	1.00	12.5	0.7
							109.30	110.30	1.00	6.6	0.7
UDD19039	4678	12856	1192	-76	27	131	87.70	88.70	1.00	14.0	0.7
UDD19040	4681	12849	1192	-72	66	119	100.75	101.50	0.75	7.1	0.5
							103.50	110.95	7.45	13.9	4.8
						including	103.50	106.30	2.80	26.4	2.0
						and	109.95	110.95	1.00	17.9	0.7
UDD19041	4686	12843	1192	-60	60	114	93.80	94.90	1.10	6.3	0.8
							106.00	106.50	0.50	10.5	0.4
UDD19042	4681	12850	1192	-83	66	126	98.40	100.50	2.10	12.9	1.5
UDD19043	4680	12846	1192	-88	235	130	97.60	98.60	1.00	4.2	0.7
							101.60	102.60	1.00	3.7	0.7
UDD19044*	4675	12853	1192	-77	236	152	117.60	118.40	0.80	6.2	0.6
							120.70	121.70	1.00	7.9	0.7
							136.25	136.75	0.50	6.3	0.4
UDD19045*	4675	12853	1192	-79	260	148	96.80	98.80	2.00	2.5	1.3
							117.60	118.60	1.00	3.1	0.7

Intersections in Timor

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)			To (m)	Intersection (m)
UDD18893	4346	13080	1310	-27	16	64	No significant intersections				
UDD18894	4329	13071	1316	42	48	74	50.90	53.40	2.50	5.5	1.6
						including	50.90	51.90	1.00	11.5	0.7
							70.10	70.60	0.50	7.1	0.4
							71.30	71.70	0.40	5.5	0.3
UDD18895	4329	13071	1316	58	49	62	No significant intersections				
UDD18896	4331	13072	1313	-18	49	85	39.25	40.25	1.00	5.1	0.7
UDD18897	4329	13072	1316	34	27	81	50.90	51.90	1.00	6.4	0.7
							70.30	70.70	0.40	7.1	0.3
UDD18898	4329	13072	1316	53	28	66	No significant intersections				
UDD18899	4329	13072	1316	21	25	60	No significant intersections				
UDD18901	4346	13080	1311	-7	10	78	55.20	55.90	0.70	5.2	0.5
UDD18902	4331	13073	1313	5	48	69	55.00	56.00	1.00	5.6	0.7
UDD18903	4331	13073	1313	13	48	74	No significant intersections				
UDD18904	4331	13073	1314	20	48	79	71.60	71.90	0.30	1525.0	0.2
UDD18908	4346	13080	1312	21	10	64	No significant intersections				
UDD18909	4346	13080	1311	6	9	68	65.60	65.90	0.30	22.6	0.2
UDD18910	4346	13080	1311	-6	16	61	55.50	55.85	0.35	9.5	0.2
UDD18911	4346	13080	1311	7	16	66	No significant intersections				
UDD18912	4346	13080	1311	7	25	58	45.70	46.80	1.10	2.8	0.7
UDD18913	4330	13073	1314	19	27	65	No significant intersections				
UDD18914	4330	13072	1313	-2	27	66	No significant intersections				
UDD18915	4331	13073	1313	9	27	66	63.90	64.70	0.80	3.6	0.5
UDD18932	4371	13113	1307	-30	41	15	5.55	6.60	1.05	11.2	0.7
UDD18933	4371	13113	1307	-36	354	19	4.80	5.80	1.00	13.6	0.7
UDD18934	4367	13115	1307	-33	346	44	8.40	9.90	1.50	15.0	1.0
						including	9.10	9.90	0.80	24.3	0.6
UDD18936	4305	13221	1336	2	198	96	48.70	49.50	0.80	7.7	0.6
UDD18937	4292	13215	1336	17	203	49	20.90	21.20	0.30	6.5	0.2
UDD18938	4293	13215	1335	-12	201	46	No significant intersections				
UDD18939	4339	13074	1315	67	321	52	No significant intersections				
UDD18940	4339	13075	1315	45	326	60	No significant intersections				
UDD18941	4339	13075	1314	47	348	68	No significant intersections				
UDD18942	4366	13114	1311	41	294	77	No significant intersections				
UDD18943	4366	13114	1311	50	304	69	37.10	37.50	0.40	17.0	0.3
							42.40	43.00	0.60	8.3	0.4

Hole #	East	North	RL	Dip (deg)	Azimuth (deg)	Length (m)	From (m)			To (m)	Intersection (m)
UDD18944	4367	13115	1312	51	319	72	35.90	36.40	0.50	5.6	0.4
							59.20	60.10	0.90	6.4	0.6
							60.60	61.20	0.60	5.3	0.4
UDD18945	4366	13115	1310	39	312	118	69.65	72.75	3.10	23.3	2.2
						including	71.15	71.90	0.75	84.1	0.5
							95.75	96.15	0.40	8.5	0.3
							100.60	101.00	0.40	10.9	0.3
							104.20	105.00	0.80	11.5	0.6
UDD19004	4359	13088	1313	48	66	63	No significant intersections				
UDD19005	4359	13087	1312	34	66	57	52.10	52.50	0.40	75.1	0.3
UDD19006	4359	13087	1312	23	66	60	46.85	47.50	0.65	7.5	0.5
							52.75	53.30	0.55	11.5	0.4
							54.85	55.65	0.80	10.1	0.6