

Table 2
All Intersections

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
AREA 134	UDD19851	4720	12328	1126	-45	209	67	41.80	42.10	0.30	6.5	0.2
								43.85	44.45	0.60	6.5	0.4
								55.30	60.90	5.60	7.4	3.9
						Including		55.30	57.10	1.80	13.6	1.3
						And		60.30	60.90	0.60	22.1	0.4
								64.65	65.00	0.35	7.8	0.2
	UDD19852	4720	12327	1126	-38	201	75	11.80	12.40	0.60	9.7	0.4
								47.00	47.75	0.75	9.5	0.5
								59.15	62.50	3.35	8.3	2.3
						Including		59.15	60.50	1.35	15.9	0.9
						And		62.20	62.50	0.30	12.4	0.2
	UDD19853	4720	12328	1126	-28	201	75	13.75	14.30	0.55	15.0	0.4
								68.50	68.80	0.30	26.2	0.2
								71.60	72.00	0.40	14.8	0.3
	UDD19854	4720	12328	1126	-46	196	70	6.40	7.30	0.90	8.3	0.6
								58.40	60.10	1.70	17.1	1.2
						Including		58.40	59.25	0.85	21.9	0.6
						And		59.80	60.10	0.30	32.1	0.2
	UDD19855	4720	12328	1126	-37	190	74	6.30	6.85	0.55	18.8	0.4
								14.35	14.80	0.45	8.8	0.3
								18.75	19.05	0.30	5.5	0.2
								66.50	67.10	0.60	50.8	0.4
	UDD19856	4720	12328	1126	-31	184	80	54.20	54.70	0.50	5.7	0.4
	UDD19857	4720	12328	1126	-35	175	74	5.95	7.00	1.05	9.7	0.7
								43.05	43.55	0.50	22.7	0.4
								50.25	50.55	0.30	8.3	0.2
	UDD19858	4720	12328	1126	-28	174	72	7.20	8.30	1.10	8.1	0.8
								45.70	47.70	2.00	24.8	1.4
						Including		45.70	46.05	0.35	7.1	0.2
						And		46.50	47.70	1.20	38.6	0.8
								54.25	55.00	0.75	6.6	0.5
CARIBBEAN	UDD19836	4566	11939	1103	23	47	23	6.20	6.60	0.40	18.8	0.3
	UDD19837	4566	11938	1102	25	65	38	5.50	6.50	1.00	5.5	0.7
								32.20	32.50	0.30	7.4	0.2
	UDD19839	4566	11937	1102	27	80	32	2.20	7.55	5.35	8.8	3.7
						Including		2.20	4.70	2.50	11.3	1.8
						And		5.25	5.55	0.30	21.7	0.2

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CARIBBEAN						And		6.40	7.55	1.15	9.3	0.8
								23.35	23.75	0.40	7.3	0.3
								25.75	26.75	1.00	7.3	0.7
								30.30	32.00	1.70	16.4	1.2
	UDD19835	4565	11940	1102	29	26	12	No Significant Intersections				
	UDD19834	4565	11940	1102	19	21	20	No Significant Intersections				
	UDD19838	4566	11939	1102	28	65	19	No Significant Intersections				
CASPIAN	UDD19629	4710	11102	1276	26	214	41	33.95	35.00	1.05	23.2	0.7
	UDD19630	4710	11101	1276	27	206	43	33.70	34.15	0.45	5.3	0.3
								37.20	37.70	0.50	6.0	0.4
	UDD19631	4742	11104	1278	17	227	63	24.90	25.40	0.50	5.1	0.4
								46.70	51.10	4.40	7.5	3.1
						Including		46.70	47.70	1.00	16.8	0.7
						And		49.20	51.10	1.90	6.7	1.3
								54.20	54.80	0.60	10.2	0.4
	UDD19632	4742	11104	1278	16	218	59	20.70	21.05	0.35	5.0	0.2
								25.30	25.80	0.50	7.1	0.4
	UDD19633	4742	11104	1278	11	217	52	37.95	38.65	0.70	12.9	0.5
								41.60	42.60	1.00	5.8	0.7
	UDD19634	4710	11101	1276	24	241	50	30.90	32.20	1.30	8.3	0.9
						Including		30.90	31.45	0.55	15.0	0.4
						And		31.75	32.20	0.45	5.5	0.3
	UDD19635	4710	11102	1276	25	227	41	31.75	32.10	0.35	13.3	0.2
	UDD19636	4742	11104	1278	12	230	56	26.85	28.70	1.85	8.6	1.3
						Including		26.85	27.35	0.50	20.7	0.4
						And		28.15	28.70	0.55	7.4	0.4
	UDD19801	4288	11057	1228	3	43	45	No Significant Intersections				
	UDD19802	4287	11057	1228	11	55	46	No Significant Intersections				
	UDD19803	4288	11056	1228	0	52	52	No Significant Intersections				
	UDD19804	4287	11057	1228	10	64	52	No Significant Intersections				
	UDD19805	4287	11057	1228	-2	60	54	No Significant Intersections				
	UDD19822	4796	11050	1269	-55	115	62	8.70	9.50	0.80	14.5	0.6
								18.05	18.60	0.55	5.2	0.4
								22.60	23.00	0.40	22.3	0.3
								48.60	48.90	0.30	9.1	0.2
								51.65	52.25	0.60	5.4	0.4
								54.05	54.50	0.45	5.2	0.3
	UDD19823	4796	11049	1269	-49	135	57	38.30	40.45	2.15	8.6	1.5
						Including		38.30	38.90	0.60	25.5	0.4
						And		40.15	40.45	0.30	8.4	0.2

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CASPIAN								51.20	51.65	0.45	7.1	0.3
	UDD19824	4795	11049	1269	-41	153	74	No Significant Intersections				
	UDD19859	4541	10956	1306	0	20	5	No Significant Intersections				
	UDD19860	4546	10953	1310	60	23	5	No Significant Intersections				
	UDD19861	4546	10954	1307	18	20	5	No Significant Intersections				
	UDD19862	4547	10954	1305	-20	20	5	1.85	2.70	0.85	55.9	0.6
	UDD19863	4556	10952	1310	51	27	5	No Significant Intersections				
	UDD19864	4556	10952	1309	40	30	5	No Significant Intersections				
	UDD19865	4556	10952	1307	-20	30	5	No Significant Intersections				
	UDD19866	4561	10951	1309	10	30	5	No Significant Intersections				
CORTEZ	UDD19825	4958	12223	1177	25	59	165	66.60	67.40	0.80	5.1	0.6
	UDD19826	4958	12223	1178	40	64	129	77.80	81.30	3.50	8.4	2.5
						Including		77.80	79.70	1.90	9.5	1.3
						And		80.30	81.30	1.00	11.4	0.7
								85.30	86.20	0.90	14.4	0.6
								97.40	103.30	5.90	28.9	4.1
								123.00	123.30	0.30	11.7	0.2
	UDD19827	4956	12222	1180	78	45	80	35.75	36.15	0.40	6.6	0.3
								51.05	55.65	4.60	14.7	3.2
						Including		52.10	53.95	1.85	31.7	1.3
						And		55.35	55.65	0.30	18.3	0.2
	UDD19828	4950	12215	1179	71	265	60	No Significant Intersections				
	UDD19829	5021	12322	1172	44	73	27	2.80	3.40	0.60	6.1	0.4
								10.10	10.70	0.60	6.3	0.4
	UDD19830	5022	12320	1173	43	102	32	0.00	0.90	0.90	16.4	0.6
								5.70	8.70	3.00	9.5	2.1
						Including		5.70	6.60	0.90	5.7	0.6
						And		7.30	8.70	1.40	16.2	1.0
								11.35	12.00	0.65	8.7	0.5
	UDD19831	5021	12322	1172	38	83	29	14.60	20.60	6.00	30.0	4.2
						Including		14.60	15.30	0.70	46.5	0.5
						And		16.10	20.60	4.50	32.5	3.2
	UDD19832	5021	12323	1171	20	53	32	14.80	16.70	1.90	30.6	1.3
	UDD19833	5020	12324	1171	24	18	16	4.25	7.30	3.05	5.6	2.1
						Including		4.25	5.25	1.00	8.2	0.7
						And		6.25	7.00	0.75	6.7	0.5
	UDD19840	4802	12229	1140	3	344	45	2.50	3.50	1.00	114.0	0.7
								5.80	6.55	0.75	19.4	0.5
								40.50	40.80	0.30	6.8	0.2
	UDD19841	4806	12229	1141	26	2	41	5.75	6.50	0.75	9.0	0.5

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
CORTEZ								19.00	19.35	0.35	5.9	0.2
								19.85	20.25	0.40	5.7	0.3
								26.90	27.30	0.40	7.0	0.3
	UDD19842	4790	12230	1142	40	344	32	3.40	3.75	0.35	14.5	0.2
								12.35	12.70	0.35	6.9	0.2
								24.20	25.45	1.25	40.6	0.9
	UDD19843	4806	12229	1142	54	9	47	0.30	0.85	0.55	13.1	0.4
								21.30	21.70	0.40	11.5	0.3
								27.65	28.15	0.50	18.4	0.4
	UDD19844	4801	12229	1144	64	344	34	1.95	2.65	0.70	8.9	0.5
								18.00	18.40	0.40	32.6	0.3
								20.35	20.65	0.30	7.3	0.2
	UDD19845	4796	12229	1145	72	344	35	11.20	11.95	0.75	14.4	0.5
								16.45	17.20	0.75	7.0	0.5
								18.35	18.65	0.30	6.1	0.2
								20.25	20.55	0.30	11.7	0.2
								21.55	22.65	1.10	7.2	0.8
								25.80	26.15	0.35	34.0	0.2
	UDD19846	4792	12226	1145	71	344	32	2.10	2.40	0.30	9.6	0.2
								5.00	6.45	1.45	20.8	1.0
								18.00	18.30	0.30	13.7	0.2
								19.40	19.90	0.50	5.1	0.4
								22.10	23.35	1.25	34.5	0.9
	UDD19847	4792	12225	1145	90	344	34	1.95	5.30	3.35	6.5	2.3
						Including		1.95	2.25	0.30	8.1	0.2
						And		2.55	2.95	0.40	17.3	0.3
						And		4.90	5.30	0.40	19.1	0.3
								14.30	14.60	0.30	26.9	0.2
								23.30	23.90	0.60	52.9	0.4
	UDD19848	4783	12261	1138	84	164	22	No Significant Intersections				
	UDD19849	4787	12261	1138	74	164	31	No Significant Intersections				
	UDD19850	4786	12265	1136	25	336	41	No Significant Intersections				
	UDD19899	5057	12364	1173	42	89	117	No Significant Intersections				
INDIAN	UDD19464	4007	11621	1094	87	160	105	No Significant Intersections				
	UDD19465	4008	11620	1093	70	160	106	30.30	30.70	0.40	13.5	0.3
	UDD19466	3988	11610	1088	40	157	112	20.60	21.60	1.00	7.5	0.7
								71.85	73.00	1.15	13.9	0.8
	UDD19467	3988	11610	1088	53	154	119	111.50	111.85	0.35	502.0	0.2
	UDD19469	3971	11603	1086	43	160	85	21.60	22.15	0.55	6.5	0.4
								46.35	47.35	1.00	6.4	0.7

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
INDIAN								64.45	67.40	2.95	7.3	2.1
						Including		64.45	65.00	0.55	11.8	0.4
						And		66.65	67.40	0.75	18.6	0.5
	UDD19470	3970	11604	1088	87	172	90	45.50	45.80	0.30	13.0	0.2
	UDD19471	3953	11594	1084	65	160	46	34.70	35.70	1.00	7.4	0.7
	UDD19472	3951	11600	1085	61	339	53	15.80	16.80	1.00	27.5	0.7
	UDD19473	3934	11585	1081	53	160	67	23.50	25.15	1.65	7.6	1.2
						Including		23.50	24.10	0.60	11.7	0.4
						And		24.85	25.15	0.30	12.1	0.2
								39.00	39.35	0.35	26.4	0.2
								58.60	59.30	0.70	17.0	0.5
	UDD19474	3932	11591	1082	60	338	80	No Significant Intersections				
	UDD19475	3915	11582	1081	86	336	102	No Significant Intersections				
	UDD19476	3915	11583	1078	43	339	104	No Significant Intersections				
	UDD19477	3917	11577	1079	47	159	94	No Significant Intersections				
	UDD19478	3896	11574	1077	60	339	92	No Significant Intersections				
	UDD19479	3885	11562	1074	54	160	93	No Significant Intersections				
	UDD19480	3879	11560	1075	82	163	95	No Significant Intersections				
	UDD19481	3879	11567	1073	45	339	72	40.25	40.55	0.30	4480.0	0.2
	UDD19482	3862	11554	1072	68	160	86	No Significant Intersections				
	UDD19483	3861	11558	1072	81	336	101	No Significant Intersections				
	UDD19484	3861	11558	1070	37	339	74	No Significant Intersections				
	UDD19485	3861	11559	1068	11	340	162	78.45	78.75	0.30	6.0	0.2
								80.90	81.30	0.40	5.0	0.3
								109.60	109.90	0.30	8.3	0.2
								112.75	113.20	0.45	12.7	0.3
								148.60	149.25	0.65	5.1	0.5
	UDD19486	3841	11556	1069	53	339	89	46.90	47.40	0.50	5.3	0.4
	UDD19487	3820	11554	1067	90	324	77	No Significant Intersections				
	UDD19488	3818	11557	1064	46	339	82	No Significant Intersections				
	UDD19489	3819	11558	1063	11	340	163	26.80	27.10	0.30	10.9	0.2
	UDD19490	3799	11552	1063	62	160	105	No Significant Intersections				
	UDD19491	3798	11553	1063	86	162	96	No Significant Intersections				
	UDD19492	3898	11569	1078	79	159	72	No Significant Intersections				
	UDD19594	4308	11354	1143	88	324	62	45.90	46.20	0.30	16.4	0.2
	UDD19595A	4312	11353	1143	75	144	80	No Significant Intersections				
	UDD19596	4310	11350	1142	57	144	104	45.70	46.20	0.50	10.1	0.4
								56.40	56.80	0.40	5.4	0.3
								63.20	64.45	1.25	19.4	0.9
	UDD19597	4311	11350	1142	47	144	109	60.50	61.40	0.90	11.4	0.6

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
INDIAN								86.60	87.60	1.00	10.5	0.7
	UDD19599	4310	11351	1143	63	155	78	No Significant Intersections				
	UDD19600	4310	11350	1142	52	158	86	77.00	77.55	0.55	7.9	0.4
	UDD19601	4310	11350	1141	43	155	98	55.00	55.60	0.60	6.1	0.4
								63.30	65.05	1.75	7.9	1.2
								73.70	75.15	1.45	13.9	1.0
								90.00	90.70	0.70	6.6	0.5
	UDD19607	4310	11350	1141	31	153	97	No Significant Intersections				
	UDD19789	4003	11452	1132	-30	180	204	No Significant Intersections				
	UDD19790	4003	11452	1132	-20	180	251	152.25	152.65	0.40	5.9	0.3
								207.80	208.30	0.50	8.9	0.4
								209.30	209.80	0.50	5.6	0.4
	UDD19791	4003	11452	1132	-25	170	174	81.80	83.05	1.25	51.8	0.9
								125.65	126.00	0.35	17.5	0.2
	UDD19792	4003	11452	1132	-35	170	244	39.75	40.30	0.55	5.2	0.4
								69.40	69.70	0.30	12.4	0.2
								149.20	149.75	0.55	32.5	0.4
								153.90	154.65	0.75	10.4	0.5
	UDD19793	4003	11452	1132	-40	160	160	37.30	37.60	0.30	5.1	0.2
								75.20	75.95	0.75	5.4	0.5
	UDD19794	4003	11452	1132	-40	180	206	61.30	62.20	0.90	144.0	0.6
	UDD19795	4002	11452	1132	-15	180	259	51.00	51.40	0.40	6.3	0.3
	UDD19796	4003	11452	1132	-20	190	206	92.00	92.60	0.60	22.5	0.4
								199.00	199.60	0.60	22.1	0.4
	UDD19797	4003	11452	1132	-26	190	201	35.45	36.70	1.25	9.5	0.9
								84.45	85.20	0.75	6.2	0.5
								181.95	182.65	0.70	16.3	0.5
	UDD19798	4002	11452	1132	-25	200	219	185.30	185.80	0.50	6.0	0.4
	UDD19799	4003	11452	1132	-40	200	210	29.50	29.80	0.30	49.3	0.2
								60.25	60.65	0.40	7.6	0.3
								166.30	166.60	0.30	5.1	0.2
	UDD19800	4002	11452	1131	-38	210	221	26.90	27.90	1.00	67.2	0.7
								41.80	42.80	1.00	12.2	0.7
								147.70	149.30	1.60	11.2	1.1
	UDD19812	3974	11448	1136	-49	221	192	143.60	144.00	0.40	7.4	0.3
	UDD19819	3974	11448	1136	-33	223	210	169.55	170.05	0.50	5.5	0.4
								171.20	171.65	0.45	20.3	0.3
	UDD19820	3974	11448	1136	-47	212	162	No Significant Intersections				
PACIFIC	UDD19674	4660	12735	1047	82	2	63	14.10	17.20	3.10	7.4	2.2
						Including		14.10	15.10	1.00	16.1	0.7

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
PACIFIC						And		16.10	16.60	0.50	7.6	0.4
								27.55	27.90	0.35	6.1	0.2
								41.90	42.70	0.80	48.1	0.6
	UDD19675	4660	12736	1047	67	359	63	4.00	5.40	1.40	14.7	1.0
								28.10	28.40	0.30	29.1	0.2
								30.75	31.15	0.40	5.8	0.3
	UDD19676	4660	12737	1046	51	357	56	10.10	10.70	0.60	13.9	0.4
								29.00	29.50	0.50	9.7	0.4
								31.50	31.80	0.30	9.0	0.2
	UDD19677	4665	12736	1047	58	6	62	7.25	9.70	2.45	8.3	1.7
						Including		7.25	8.25	1.00	11.9	0.7
						And		9.25	9.70	0.45	16.5	0.3
								26.85	28.85	2.00	18.9	1.4
								40.95	41.45	0.50	8.0	0.4
	UDD19678	4665	12736	1047	71	14	59	5.85	7.85	2.00	6.3	1.4
								14.10	16.80	2.70	72.4	1.9
						Including		14.10	14.80	0.70	238.0	0.5
						And		15.80	16.80	1.00	28.5	0.7
								27.30	28.30	1.00	8.9	0.7
	UDD19679	4666	12734	1048	81	75	59	7.00	7.90	0.90	10.3	0.6
								15.50	15.85	0.35	7.4	0.2
								26.40	26.70	0.30	6.5	0.2
								27.05	27.35	0.30	6.0	0.2
								33.50	33.80	0.30	7.9	0.2
								47.00	47.70	0.70	7.9	0.5
	UDD19680	4667	12735	1048	66	91	77	7.70	8.00	0.30	8.8	0.2
								8.30	10.60	2.30	9.6	1.6
								16.00	16.40	0.40	7.5	0.3
								40.75	41.25	0.50	7.2	0.4
								43.20	43.95	0.75	5.1	0.5
								53.75	56.70	2.95	5.3	2.1
						Including		53.75	54.15	0.40	15.9	0.3
						And		56.00	56.70	0.70	7.6	0.5
	UDD19681	4653	12734	1046	84	178	68	19.15	20.30	1.15	9.2	0.8
								35.80	36.10	0.30	5.4	0.2
	UDD19682	4661	12733	1047	76	194	67	19.60	20.30	0.70	16.5	0.5
								32.40	32.70	0.30	9.8	0.2
								37.55	38.40	0.85	5.7	0.6
								46.90	47.30	0.40	19.0	0.3
								49.35	49.65	0.30	5.1	0.2

Designed Target	Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
PACIFIC	UDD19684	4667	12733	1048	72	134	62	11.70	12.85	1.15	20.8	0.8
								19.30	20.20	0.90	9.0	0.6
								30.10	30.40	0.30	6.0	0.2
								30.70	31.00	0.30	10.2	0.2
	UDD19687	4651	12735	1046	73	358	55	3.50	4.05	0.55	6.5	0.4
								14.90	15.20	0.30	5.8	0.2
	UDD19688	4650	12735	1046	85	359	67	0.90	2.00	1.10	7.6	0.8
								2.95	3.25	0.30	14.7	0.2
								4.00	4.30	0.30	7.1	0.2
								25.10	26.10	1.00	5.4	0.7
								30.45	30.75	0.30	11.7	0.2
								33.25	33.55	0.30	16.2	0.2
								46.45	46.75	0.30	11.0	0.2
	UDD19689	4624	12694	1073	68	88	63	36.35	36.70	0.35	45.4	0.2
	UDD19693	4663	12733	1047	71	163	50	11.30	11.85	0.55	6.2	0.4
								31.45	32.15	0.70	6.0	0.5
								37.65	37.95	0.30	6.6	0.2
								42.95	43.45	0.50	9.2	0.4
TIMOR	UDD19766	4063	13043	947	-78	51	117	No Significant Intersections				
	UDD19768	4057	13042	946	-42	264	279	108.45	109.45	1.00	13.4	0.7
	UDD19771	4058	13040	947	-26	256	170	No Significant Intersections				
	UDD19773	4107	13013	954	-43	233	226	No Significant Intersections				
	UDD19776	4109	13011	955	-15	233	226	106.60	107.00	0.40	5.4	0.3
								108.00	109.00	1.00	9.0	0.7
								112.80	113.80	1.00	10.5	0.7