

# Superior Gold Inc. Announces Additional Positive Results from Its Ongoing Drill Program at Hermes South


## DISCOVERY OF NEW PARALLEL ZONE

### UP TO 142.0 G AU/T OVER 2.80 METRES TRUE THICKNESS FROM 56.00 METRES

TORONTO, June 14, 2018 /CNW/ - **Superior Gold Inc.** ("Superior Gold" or "The Company") (TSXV:SGI) is pleased to announce additional results from the recently completed reverse circulation drill program at its Hermes South project, which is located approximately 20 kilometres south southwest of the Hermes open pit gold mine, which is in turn located 65 kilometres southwest of the Company's 100%-owned Plutonic underground gold mine in Western Australia [Figure 1](#).

#### HIGHLIGHTS

- 142.0 g Au/t over 4.00 Metres from 56.00 metres downhole in Hole BHSRC028, approximately 150 metres south of existing resource
- 37.7 g Au/t over 3.00 metres from 27.00 metres downhole in Hole BHSRC007, approximately 150 metres south of existing resource (previously announced)
- 13.5 g Au/t over 4.00 metres from 50.00 metres downhole in Hole BHSRC039, approximately 150 metres south of existing resource
- 6.4 g Au/t over 12.00 metres from 62.00 metres downhole in Hole BHRSC012, beneath existing resource
- 11.8 g Au/t over 3.00 metres from 62 metres downhole in Hole BHRSC017, approximately 50 metres southeast of existing resource
- All intersections are outside of the existing resource



The Hermes South project is within the Bryah Basin joint venture with Alchemy Resources Ltd. (ASX:ALY). The Company's interest is up to 80% in the joint venture. The Company recently announced (April 3, 2018) an initial inferred mineral resource estimate for Hermes South of 1.29 million tonnes @ 1.54 g Au/t for 64,000 ounces (100% basis).

The phase one reverse circulation program was completed in May and totalled approximately 6,900 metres in 45 holes. The goal of the program was to expand the existing resource and to explore for additional zones of mineralization.

The location of drill holes in the current program are shown in relation to prior drilling and the existing resource in plan and section in [Figures 2 - 4](#). All intersections are listed in [Table 2](#).

Chris Bradbrook, President and CEO of Superior Gold stated: "These results are extremely encouraging and suggest the potential to increase the existing resource. In particular, the highest grade intersections are both outside and parallel to, and approximately 150 metres south of, the existing resource suggesting the possibility of outlining additional parallel zones. The purpose of the drill program is to determine the potential for the Hermes South project to become a second open pit mining operation. The project is strategically well located and can be readily connected to the main Hermes haul road. This work is part of our near-term growth strategy to focus on reestablishing the Plutonic Gold operations at a sustainable production level of at least 100,000 ounces of gold annually."

**Table 1 – Key Intersections**

Drill Hole #	Easting (Mine Grid)	Northing (Mine Grid)	Drill hole collar RL (Mine Grid)	Dip (degrees)	Azimuth (degrees, Mine Grid)	End of hole depth (m)	Downhole From (m)	Downhole To (m)	Downhole Intersection (m)	Au (gpt) uncut	Est True Thickness (m)
BHSRC007	685114	7155443	572	-60	24	220	27.00	30.00	3.00	37.7	2.1
BHSRC009	685217	7155569	574	-60	24	220	166.00	176.00	10.00	2.0	7.0
					Including		166.00	172.00	6.00	3.0	4.2
BHSRC012	685361	7155661	572	-60	24	120	62.00	74.00	12.00	6.4	8.4
BHSRC014	685290	7155536	571	-60	24	250	224.00	226.00	2.00	6.5	1.4
BHSRC016	685241	7155427	568	-60	24	186	84.00	86.00	2.00	7.1	1.4
BHSRC017	685511	7155523	567	-60	24	170	62.00	65.00	3.00	11.8	2.1
BHSRC021	685637	7155522	569	-60	24	180	80.00	82.00	2.00	14.7	1.4
BHSRC028	685299	7155421	568	-60	24	80	0.00	3.00	3.00	5.2	2.1
							56.00	60.00	4.00	142.3	2.8
BHSRC039	685106	7155425	572	-60	24	80	50.00	54.00	4.00	13.5	2.8

#### Qualified Person

Scientific and technical information in this news release has been reviewed and approved by Pascal Blampain, who is a member of the AusIMM and the Australian Institute of Geoscientists (AIG) and a "qualified person" within the meaning of NI 43-101. Mr. Blampain is an employee of the Company and

serves as Chief Geologist.

### Quality Control Protocols

Hermes South drilling has been completed using Reverse Circulation drilling. Samples are collected for every metre directly off the cyclone using a cone splitter, set to approximately 3kg sample size. All gold results were determined by ALS Minerals (Perth) using fire assay fusion (40g charge, lead collection method) with an ICP finish. Drill program design, Quality Assurance/Quality Control and interpretation of results are performed by qualified persons employing a Quality Assurance/Quality Control program consistent with NI 43-101 and industry best practices. Standards, blanks and duplicates are included in approximately every 20 samples for Quality Assurance/Quality Control purposes by the Company as well as the laboratory. Approximately 5% of sample pulps are sent to secondary laboratories for check assays.

### About Superior Gold

Superior Gold is a Canadian based gold producer that owns 100% of the Plutonic Gold operations located in Western Australia. The Plutonic Gold operations include the underground Plutonic gold mine, which is a producing underground operation with a central mill, the Hermes open pit gold mine and up to an 80% interest in the Bryah Basin joint venture. Superior Gold is focused on expanding production at the Plutonic Gold operations and building an intermediate gold producer with superior returns for shareholders.

### Forward Looking Information

This press release contains "forward-looking information" within the meaning of applicable securities laws that is intended to be covered by the safe harbours created by those laws. "Forward-looking information" includes statements that use forward-looking terminology such as "may", "will", "expect", "anticipate", "believe", "continue", "potential" or the negative thereof or other variations thereof or comparable terminology.

Forward-looking information is not a guarantee of future performance and is based upon a number of estimates and assumptions of management at the date the statements are made. Furthermore, such forward-looking information involves a variety of known and unknown risks, uncertainties and other factors which may cause the actual plans, intentions, activities, results, performance or achievements of the Company to be materially different from any future plans, intentions, activities, results, performance or achievements expressed or implied by such forward-looking information. See "Risk Factors" in the Company's prospectus dated February 15, 2017 filed on SEDAR at [www.sedar.com](http://www.sedar.com) for a discussion of these risks.

The Company cautions that there can be no assurance that forward-looking information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such information. Accordingly, investors should not place undue reliance on forward-looking information. Except as required by law, the Company does not assume any obligation to release publicly any revisions to forward-looking information contained in this press release to reflect events or circumstances after the date hereof.

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the Exchange) accepts responsibility for the adequacy or accuracy of this release.

### SOURCE Superior Gold

For further information: Superior Gold Inc., Chris Bradbrook, President, CEO & Director, [investor@superior-gold.com](mailto:investor@superior-gold.com), Tel: 647-925-1291

<http://superiorgold.mediaroom.com/2018-06-14-Superior-Gold-Inc-Announces-Additional-Positive-Results-from-Its-Ongoing-Drill-Program-at-Hermes-South>

Sample ID	X (m)	Y (m)	Z (m)	Hermes South		Hermes North	
				Sample Type	Assay (g/t)	Sample Type	Assay (g/t)
HS18-001	100	100	100	RC	0.5	RC	0.2
HS18-002	100	100	100	RC	0.5	RC	0.2
HS18-003	100	100	100	RC	0.5	RC	0.2
HS18-004	100	100	100	RC	0.5	RC	0.2
HS18-005	100	100	100	RC	0.5	RC	0.2
HS18-006	100	100	100	RC	0.5	RC	0.2
HS18-007	100	100	100	RC	0.5	RC	0.2
HS18-008	100	100	100	RC	0.5	RC	0.2
HS18-009	100	100	100	RC	0.5	RC	0.2
HS18-010	100	100	100	RC	0.5	RC	0.2
HS18-011	100	100	100	RC	0.5	RC	0.2
HS18-012	100	100	100	RC	0.5	RC	0.2
HS18-013	100	100	100	RC	0.5	RC	0.2
HS18-014	100	100	100	RC	0.5	RC	0.2
HS18-015	100	100	100	RC	0.5	RC	0.2
HS18-016	100	100	100	RC	0.5	RC	0.2
HS18-017	100	100	100	RC	0.5	RC	0.2
HS18-018	100	100	100	RC	0.5	RC	0.2
HS18-019	100	100	100	RC	0.5	RC	0.2
HS18-020	100	100	100	RC	0.5	RC	0.2
HS18-021	100	100	100	RC	0.5	RC	0.2
HS18-022	100	100	100	RC	0.5	RC	0.2
HS18-023	100	100	100	RC	0.5	RC	0.2
HS18-024	100	100	100	RC	0.5	RC	0.2
HS18-025	100	100	100	RC	0.5	RC	0.2
HS18-026	100	100	100	RC	0.5	RC	0.2
HS18-027	100	100	100	RC	0.5	RC	0.2
HS18-028	100	100	100	RC	0.5	RC	0.2
HS18-029	100	100	100	RC	0.5	RC	0.2
HS18-030	100	100	100	RC	0.5	RC	0.2
HS18-031	100	100	100	RC	0.5	RC	0.2
HS18-032	100	100	100	RC	0.5	RC	0.2
HS18-033	100	100	100	RC	0.5	RC	0.2
HS18-034	100	100	100	RC	0.5	RC	0.2
HS18-035	100	100	100	RC	0.5	RC	0.2
HS18-036	100	100	100	RC	0.5	RC	0.2
HS18-037	100	100	100	RC	0.5	RC	0.2
HS18-038	100	100	100	RC	0.5	RC	0.2
HS18-039	100	100	100	RC	0.5	RC	0.2
HS18-040	100	100	100	RC	0.5	RC	0.2
HS18-041	100	100	100	RC	0.5	RC	0.2
HS18-042	100	100	100	RC	0.5	RC	0.2
HS18-043	100	100	100	RC	0.5	RC	0.2
HS18-044	100	100	100	RC	0.5	RC	0.2
HS18-045	100	100	100	RC	0.5	RC	0.2
HS18-046	100	100	100	RC	0.5	RC	0.2
HS18-047	100	100	100	RC	0.5	RC	0.2
HS18-048	100	100	100	RC	0.5	RC	0.2
HS18-049	100	100	100	RC	0.5	RC	0.2
HS18-050	100	100	100	RC	0.5	RC	0.2
HS18-051	100	100	100	RC	0.5	RC	0.2
HS18-052	100	100	100	RC	0.5	RC	0.2
HS18-053	100	100	100	RC	0.5	RC	0.2
HS18-054	100	100	100	RC	0.5	RC	0.2
HS18-055	100	100	100	RC	0.5	RC	0.2
HS18-056	100	100	100	RC	0.5	RC	0.2
HS18-057	100	100	100	RC	0.5	RC	0.2
HS18-058	100	100	100	RC	0.5	RC	0.2
HS18-059	100	100	100	RC	0.5	RC	0.2
HS18-060	100	100	100	RC	0.5	RC	0.2
HS18-061	100	100	100	RC	0.5	RC	0.2
HS18-062	100	100	100	RC	0.5	RC	0.2
HS18-063	100	100	100	RC	0.5	RC	0.2
HS18-064	100	100	100	RC	0.5	RC	0.2
HS18-065	100	100	100	RC	0.5	RC	0.2
HS18-066	100	100	100	RC	0.5	RC	0.2
HS18-067	100	100	100	RC	0.5	RC	0.2
HS18-068	100	100	100	RC	0.5	RC	0.2
HS18-069	100	100	100	RC	0.5	RC	0.2
HS18-070	100	100	100	RC	0.5	RC	0.2
HS18-071	100	100	100	RC	0.5	RC	0.2
HS18-072	100	100	100	RC	0.5	RC	0.2
HS18-073	100	100	100	RC	0.5	RC	0.2
HS18-074	100	100	100	RC	0.5	RC	0.2
HS18-075	100	100	100	RC	0.5	RC	0.2
HS18-076	100	100	100	RC	0.5	RC	0.2
HS18-077	100	100	100	RC	0.5	RC	0.2
HS18-078	100	100	100	RC	0.5	RC	0.2
HS18-079	100	100	100	RC	0.5	RC	0.2
HS18-080	100	100	100	RC	0.5	RC	0.2
HS18-081	100	100	100	RC	0.5	RC	0.2
HS18-082	100	100	100	RC	0.5	RC	0.2
HS18-083	100	100	100	RC	0.5	RC	0.2
HS18-084	100	100	100	RC	0.5	RC	0.2
HS18-085	100	100	100	RC	0.5	RC	0.2
HS18-086	100	100	100	RC	0.5	RC	0.2
HS18-087	100	100	100	RC	0.5	RC	0.2
HS18-088	100	100	100	RC	0.5	RC	0.2
HS18-089	100	100	100	RC	0.5	RC	0.2
HS18-090	100	100	100	RC	0.5	RC	0.2
HS18-091	100	100	100	RC	0.5	RC	0.2
HS18-092	100	100	100	RC	0.5	RC	0.2
HS18-093	100	100	100	RC	0.5	RC	0.2
HS18-094	100	100	100	RC	0.5	RC	0.2
HS18-095	100	100	100	RC	0.5	RC	0.2
HS18-096	100	100	100	RC	0.5	RC	0.2
HS18-097	100	100	100	RC	0.5	RC	0.2
HS18-098	100	100	100	RC	0.5	RC	0.2
HS18-099	100	100	100	RC	0.5	RC	0.2
HS18-100	100	100	100	RC	0.5	RC	0.2
HS18-101	100	100	100	RC	0.5	RC	0.2
HS18-102	100	100	100	RC	0.5	RC	0.2
HS18-103	100	100	100	RC	0.5	RC	0.2
HS18-104	100	100	100	RC	0.5	RC	0.2
HS18-105	100	100	100	RC	0.5	RC	0.2
HS18-106	100	100	100	RC	0.5	RC	0.2
HS18-107	100	100	100	RC	0.5	RC	0.2
HS18-108	100	100	100	RC	0.5	RC	0.2
HS18-109	100	100	100	RC	0.5	RC	0.2
HS18-110	100	100	100	RC	0.5	RC	0.2
HS18-111	100	100	100	RC	0.5	RC	0.2
HS18-112	100	100	100	RC	0.5	RC	0.2
HS18-113	100	100	100	RC	0.5	RC	0.2
HS18-114	100	100	100	RC	0.5	RC	0.2
HS18-115	100	100	100	RC	0.5	RC	0.2
HS18-116	100	100	100	RC	0.5	RC	0.2
HS18-117	100	100	100	RC	0.5	RC	0.2
HS18-118	100	100	100	RC	0.5	RC	0.2
HS18-119	100	100	100	RC	0.5	RC	0.2
HS18-120	100	100	100	RC	0.5	RC	0.2
HS18-121	100	100	100	RC	0.5	RC	0.2
HS18-122	100	100	100	RC	0.5	RC	0.2
HS18-123	100	100	100	RC	0.5	RC	0.2
HS18-124	100	100	100	RC	0.5	RC	0.2
HS18-125	100	100	100	RC	0.5	RC	0.2
HS18-126	100	100	100	RC	0.5	RC	0.2
HS18-127	100	100	100	RC	0.5	RC	0.2
HS18-128	100	100	100	RC	0.5	RC	0.2
HS18-129	100	100	100	RC	0.5	RC	0.2
HS18-130	100	100	100	RC	0.5	RC	0.2
HS18-131	100	100	100	RC	0.5	RC	0.2
HS18-132	100	100	100	RC	0.5	RC	0.2
HS18-133	100	100	100	RC	0.5	RC	0.2
HS18-134	100	100	100	RC	0.5	RC	0.2
HS18-135	100	100	100	RC	0.5	RC	0.2
HS18-136	100	100	100	RC	0.5	RC	0.2
HS18-137	100	100	100	RC	0.5	RC	0.2
HS18-138	100	100	100	RC	0.5	RC	0.2
HS18-139	100	100	100	RC	0.5	RC	0.2
HS18-140	100	100	100	RC	0.5	RC	0.2
HS18-141	100	100	100	RC	0.5	RC	0.2
HS18-142	100	100	100	RC	0.5	RC</	